

# The Tiguan R Line





The front of the Tiguan R Line is more stylish than ever featuring a uniquely shaped front bumper. The radiator grille surround, double louvres and roundel are trimmed in stylish matt chrome, while the front spoiler completes the impressive front design.



Front fog lights are neatly integrated into the uniquely shaped front bumper, visually adding a striking look to the front of the vehicle, while also providing additional safety.





Dynamic 19" 'Omanyt' alloy wheels with 255/40 R19 tyres and sports suspension create a stunning visual presence to the exterior, while ensuring maximum grip for added safety.






## Design.

The exterior design sends out a clear statement from the first moment you glimpse the striking 19 inch 'Omanyt' alloy wheels. A styling pack comprising uniquely-shaped front and rear bumpers, rear roof spoiler, extended side sills, black rear diffuser and widened wheel arches is also fitted to give it a truly mesmerising appearance. Its flowing lines are completed by front fog lights, sports suspension, a front grille with matt chrome surround and double louvres and the R Line logo sitting proudly on the front wing.

To complement the extended side sills and black wheel arch extensions, the uniquely shaped rear bumper finishes off the exterior styling. Beneath the bumper, neatly integrated into the side of the black rear diffuser, the chrome twin exhaust tailpipe hints at the power beneath the bonnet.





## Paint.



Candy White
Non-Metallic
R4



Reflex Silver
Metallic\*
8E



Mountain Grey
Metallic\*
Z3



Deep Black
Pearl Effect\*
2T



Biscay Blue
Pearl Effect\*
7Q



<sup>\*</sup> Metallic and pearl effect paints are optional at extra cost.

Please note: Screen technology does not allow for exact reproduction of the paint and upholstery colours.

For further details, please contact your Volkswagen retailer.

## Upholstery.

Black
'Monte Carlo' cloth



## Combinations.

# R Line – 2.0 litre TSI 4MOTION 200 PS. Technical specification.

		Manuai	Automatic
Engine	Engine type	Four cylinder petrol	Four cylinder petrol
	Cubic capacity, ltrs/cc	2.0/1984	2.0/1984
	Max. output, PS (01)/kW	200/147	200/147
	at rpm	5100	5100
	Max. torque, lbs.ft/Nm	207/280	207/280
	at rpm	1700-5000	1700-5000
	Gearbox	Six speed manual	Six speed auto tiptronic
Weights, kgs	Unladen weight <sup>(02)</sup>	1587	1609
weigins, kgs	Gross vehicle weight	2210	2230
	Payload (02)	623	621
	Axle load limit: Front	1140	1120
	Rear	1160	1120
	Rout	1100	1120
Trailer load	Braked 12% incline	2200	2200
limits, kgs (03)	Unbraked	750	750
	Max. roof load	100	100
	Towbar load limit	100	100
Performance	Top speed (where law permits), mph (km/h)	130 (210)	129 (207)
	Acceleration, secs 0 - 62 mph	7.9	8.5
	ABI insurance group	TBA	TBA
Environmental	Fuel grade, minimum	Unleaded, 95 RON (04)	Unleaded, 95 RON (04)
information	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	23.3/12.1	20.9/13.5
	Extra-urban	39.8/7.1	36.7/7.7
	Combined	31.7/8.9	28.5/9.9
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	213	234
	Emission class	EURO 4	EURO 4
	Noise, dB	73.0	71.0

Manual

## Notes.

**Automatic** 

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of CO<sub>2</sub> emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of CO<sub>2</sub>.

# R Line – 2.0 litre TDI 4MOTION 140 PS. Technical specification.

		Manuai	Automatic
Engine	Engine type	Four cylinder diesel	Four cylinder diesel
	Cubic capacity, ltrs/cc	2.0/1968	2.0/1968
	Max. output, PS (01)/kW	140/103	140/103
	at rpm	4200	4200
	Max. torque, lbs.ft/Nm	236/320	236/320
	at rpm	1750-2500	1750-2500
	Gearbox	Six speed manual	Six speed auto tiptronic
\\\-:- -4-	11-1-1	1500	1004
Weights, kgs	Unladen weight (02)	1590	1604
	Gross vehicle weight	2240	2260
	Payload <sup>(02)</sup> Axle load limit: Front	650	656
		1160	1180
	Rear	1130	1130
Trailer load	Braked 12% incline	2200	2000
limits, kgs <sup>(03)</sup>	Unbraked	750	750
	Max. roof load	100	100
	Towbar load limit	100	100
Performance	Top speed (where law permits), mph (km/h)	116 (186)	113 (182)
	Acceleration, secs 0 - 62 mph	10.5	10.7
	ABI insurance group	TBA	TBA
Environmental	Fuel grade, minimum	Diesel (05)	Diesel (05)
information	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	TBA	TBA
	Extra-urban	TBA	TBA
	Combined	TBA	TBA
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	TBA	TBA
	Emission class	TBA	TBA
	Noise, dB	TBA	TBA

Manual

## Notes.

**Automatic** 

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of  $CO_2$  emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of  $CO_2$ .

# R Line – 2.0 litre TDI 4MOTION 170 PS. Technical specification.

		Manual	
Engine	Engine type	Four cylinder diesel	
	Cubic capacity, ltrs/cc	2.0/1968	
	Max. output, PS (01)/kW	170/125	
	at rpm	4400	
	Max. torque, lbs.ft/Nm	258/350	
	at rpm	1750-2500	
	Gearbox	Six speed manual	
Weights, kgs	Unladen weight <sup>(02)</sup>	1609	
	Gross vehicle weight	2243	
	Payload (02)	634	
	Axle load limit: Front	1160	
	Rear	1130	
Trailer load limits, kgs <sup>(03)</sup>	Braked 12% incline	2200	
	Unbraked	750	
	Max. roof load	100	
	Towbar load limit	100	
Performance	Top speed (where law permits), mph (km/h)	125 (201)	
	Acceleration, secs 0 - 62 mph	8.9	
	ABI insurance group	TBA	
Environmental	Fuel grade, minimum	Diesel (05)	
information	Official fuel consumption, mpg/ltr per 100 km (06)		
	Urban	TBA	
	Extra-urban	TBA	
	Combined	TBA	
	Official CO <sub>2</sub> emission, g/km <sup>(07)</sup>	TBA	
	Emission class	TBA	
	Noise, dB	TBA	

## Notes.

- 01) The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.
- 02) Figures are calculated in accordance with manufacturer's criteria. Vehicle unladen weight ranges with 90% tank capacity without driver. The individual unladen weight depends on the specification of the vehicle, this then reduces the possible payload accordingly.
- 03) With increasing altitude the engine performance diminishes. From 1,000 m above sea level and for every 1,000 m thereafter 10% of the vehicle/trailer weight (trailer weight + gross vehicle weight) must be deducted.
- 04) Thanks to the knock control, unleaded four star (at least 95 RON) can be used instead of Super plus unleaded. In order to achieve maximum fuel consumption benefits on the TSI engine, Ultra Low Sulphur Petrol (ULSP) must be used.
- 05) The use of RME and FAME (bio diesel) is not possible.
- 06) Official fuel consumption according to EU Directive 99/94. The consumption calculation according to 1999/100/EC is based on the actual unladen weight of the vehicle. Additional specifications can lead to a higher weight class and hence to consumption figures of this higher weight class. The driving style, road and traffic conditions, environmental influences and vehicle condition can in practice lead to consumption figures, which may differ from those calculated with this standard.
- 07) The weight of a vehicle will influence the level of  $CO_2$  emission it produces; as a result, vehicles with higher levels of specification and factory-fitted options may emit higher levels of  $CO_2$ .


## The technology.

## **Engines**

- Front transversely-mounted engine
- 2.0 litre/200 PS (01) (147 kW) petrol engine. Four cylinder in-line engine, aluminium cylinder head, four valves per cylinder with roller rocker finger valve drive, electronic direct injection, variable inlet valve timing, programmed ignition with cylinder-selective anti-knock control, four single spark ignition coils, longlife spark plugs, exhaust gas turbocharger, three-way close-coupled pre-catalyst and underbody catalyst, lambda control
- 2.0 litre/140 PS (01) (103 kW) Common rail diesel engine. EU4 emissions standard (EU5 compliant), four cylinder inline engine, four valves per cylinder, aluminium-silicon alloy cylinder head, toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)
- 2.0 litre/170 PS (01) (125 kW) Common rail diesel engine. EU4 emissions standard (EU5 compliant), four cylinder inline engine, four valves per cylinder, aluminium-silicon alloy cylinder head, toothed backlash compensator, intake manifold with electric continual tumble flap control, electronically controlled common rail direct injection system with Bosch high pressure pump (up to 1800 bar) and 8-hole piezo injector units, pre-supply electronic fuel pump, oil cooler, intercooler, exhaust gas recirculation, additional coolant pump, turbocharger with variable turbine geometry, catalytic converter and Diesel Particulate Filter (DPF)

## Dimensions.

Exterior dimensions	Length, mm	4427
	Width – excluding door mirrors, mm	1809
	Width – opened front/rear doors, mm	3658/3499
	Height, mm	1686
	Height – opened bonnet/floor, mm	1868
	Height – opened tailgate/floor, mm	2086
	Wheelbase, mm	2604



<sup>(01)</sup> The maximum power output figures are quoted in PS (or Pferdestärke, which is the metric equivalent of horsepower). To convert from metric to imperial horsepower, divide the PS figure by 1.0139.

### **Transmission**

- Four wheel drive
- Six speed manual gearbox: all models
- Six speed auto tiptronic gearbox:2.0 litre TSI 4MOTION 200 PS, 2.0 litre TDI 4MOTION 140 PS

## **Running gear**

- Front suspension: McPherson strut, one-piece aluminium subframe, decoupled spring and shock absorber mounting, anti-roll bar
- Rear suspension: multilink, anti-roll bar
- ESP (Electronic Stabilisation Programme) includes EDL (Electronic Differential Lock) and ASR (Traction Control)

## Steering

- Maintenance-free rack and pinion steering rack with speed related, electronically controlled servo assistance
- Height and reach adjustable and collapsible safety steering column

## Volkswagen service for your peace of mind.

### The Volkswagen Warranty.

#### Three-year Warranty.

All Volkswagen Tiguans come with a three-year/60,000 miles warranty, which protects your car against the failure of most mechanical and electrical components due to manufacturing defects. This comprises a two-year manufacturer's warranty with unlimited mileage plus a further one-year/60,000 miles (whichever is soonest) Retailer Warranty. Should the mileage exceed 60,000 miles within the first two years, the manufacturer's two-year warranty will still be valid. If an additional warranty for subsequent years or higher mileage is desired, it may be purchased from an authorised Volkswagen retailer or repairer; however, this additional warranty must be purchased before the mileage reaches 60,000\*. Full details of the three-year warranty are available from your authorised Volkswagen retailer or repairer.

\* All warranty work must be completed by an authorised Volkswagen retailer or repairer.

#### Three-year Paint Warranty.

The paintwork of the Tiguan is covered against manufacturing defects for a period of three years. Naturally, the Tiguan must be cared for in compliance with the operating instructions which will be found in your vehicle handbook. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

## 12-year Body Protection Warranty.

The internal body sections and panels of the Tiguans are covered against rusting through from the inside for 12 years. Naturally, the Tiguan must be cared for in compliance with the operating instructions. Please consult your authorised Volkswagen retailer or repairer for full warranty details.

### Approved Accessories.

A comprehensive range of accessories from alloy wheels to carpet mats is available to complement the factory-fitted option list.

Volkswagen Approved accessories purchased from and fitted by your authorised Volkswagen retailer at the point of vehicle sale will also benefit from the three-year vehicle warranty.

#### Service Intervals.

Volkswagen are pleased to offer you a choice on how your Tiguan is serviced. The appropriate selection is entirely dependent on how the car is likely to be driven and its general use. To help you identify which type of service would be most suitable, please refer to the following guide.

The Time and Distance Service is recommended for vehicles that will cover less than 10,000 miles in 12 months and if the vehicle is likely to be used in the following way:

- Predominantly urban driving, short journeys with frequent cold starts.
- Activities regularly producing high engine loading,
   e.g. frequent hill climbs, driving with vehicle fully loaded and towing.
- Uneconomical driving style using high rpms with heavy acceleration and heavy braking.

The service intervals for the Time and Distance Service are as follows:

- Oil change service
   Every 10,000 miles/1 year (whichever is soonest).
- Interval service
   Every 20,000 miles/2 years (whichever is soonest).
- Inspection service
   Every 40,000 miles/3 years (whichever is soonest).

The LongLife Service is recommended for vehicles with a daily mileage of more than 25 miles where the vehicle is driven regularly mainly on longer distance journeys. The vehicle is driven mainly at a constant speed with minimum vehicle and engine loading, minimal towing and driven in an economical manner.

With the LongLife Service the vehicle can cover anywhere between  $10,000^{\dagger}$  and a maximum of  $18,000^{\dagger}$  miles or 24 months (whichever is soonest) between oil changes. Inspection service is typically in the third year of ownership and thereafter every second year, for vehicles with an approximate annual mileage of 10,000 miles.

† Please note that mileages are approximate as the service indicator system uses kilometres as the distance measurement. Please consult your authorised Volkswagen retailer or repairer for advice and full details.

#### **Extended Warranty.**

You may purchase additional protection from your authorised Volkswagen retailer or repairer, or contact 0870 9000 115.

### Volkswagen Finance<sup>‡</sup>.

Volkswagen Finance specialises in providing funding solutions for Volkswagen drivers. Whether your Volkswagen is for private or business use, you can choose from a range of funding options.

- Solutions a personal contract plan
- · Hire purchase
- · Lease purchase
- · Finance lease
- · Contract hire

With all Volkswagen Finance products you can choose a fixed-cost maintenance plan to help you budget for your servicing and maintenance costs.

No matter what finance product you choose, your local Volkswagen retailer will be able to provide you with a personalised quote that could meet your budget and vehicle needs.

‡ Volkswagen Finance is a trading name of Volkswagen Financial Services (UK) Limited. An offer of finance depends on certain conditions. Available to people over 18 in the UK only.

### Volkswagen Insurance<sup>±</sup>.

Competitive and comprehensive motor insurance designed especially for Volkswagen drivers. All new and Approved Used Volkswagens come with complimentary seven-day cover upon request – we'll e-mail a cover note straight to your retailer, enabling them to tax your car easily. This way, you can drive straight out of the showroom. Taking out annual cover is easy and it can start when the seven-day cover expires. For more information contact your local Volkswagen retailer or call 0800 051 3136.

± Volkswagen Insurance is underwritten and administered by Zurich Insurance plc. Volkswagen Insurance is a trading name of Volkswagen Insurance Service (Great Britain) Limited which is an appointed representative of Volkswagen Financial Services (UK) Limited. Zurich Insurance plc and Volkswagen Financial Services (UK) Limited are both authorised and regulated by the Financial Services Authority.

#### Volkswagen Roadside Assistance.

Every new car is registered for Volkswagen Roadside Assistance for one year. This provides vehicle home and roadside recovery in the unlikely event of a breakdown in the UK and Europe (subject to conditions). Volkswagen Roadside Assistance can also be purchased for subsequent years. For full details, please contact your authorised Volkswagen retailer or repairer.

#### Tax Free Sales.

For full details, please contact your authorised Volkswagen retailer.

## CO<sub>2</sub> Emission.

Increased weight of a vehicle, including higher trim levels and the addition of options will have a detrimental influence on the level of fuel consumption and  $CO_2$  emissions produced.

The  $\rm CO_2$  and fuel consumption figures are obtained from tests on a representative vehicle of the type, conducted and approved in accordance with Council Directive 80/1268/EEC as amended by Directive 1999/100/EC (or later) on the approximation of the laws of the member states relating to the carbon dioxide emissions and the fuel consumption of motor vehicles.

#### Please Note:

Some illustrations in this brochure do not necessarily reflect UK specifications and may not be available. In particular, controls and some items of equipment are positioned differently for the UK.

The specifications contained in this brochure are for information purposes only and are subject to change. If you require any specific feature, you must consult your authorised Volkswagen retailer who is regularly updated with any change in specification. Please check model availability and full specification details with your authorised Volkswagen retailer prior to ordering.

Note: We would like to advise you that telephone calls to Volkswagen Customer Care may be monitored and recorded as part of our training and quality assurance processes. All our monitoring and recording processes meet Oftel regulations.